

STOMACH CANCER AWARENESS

COMMON SIGNS & SYMPTOMS OF STOMACH CANCER

EARLY-STAGE STOMACH CANCER MAY NOT CAUSE SYMPTOMS. AS CANCER GROWS, SIGNS AND SYMPTOMS OF STOMACH CANCER CAN INCLUDE:



Frequent heartburn / indigestion or ulcer-type symptoms



Nausea



Diarrhoea or constipation



Excessive fatigue



Difficulty swallowing



Vomiting, with or without blood



Black stools, with or without blood



Discomfort or pain in the stomach area



Loss of appetite



Unexplained weight loss (without trying)



Feeling full or bloated after eating any meal

Most often, these symptoms are not due to cancer, but to other health problems, such as an ulcer or infection. Anyone who has these symptoms, especially if they do not go away, or even get worse, should see their doctor so that problems can be diagnosed and treated as early as possible.

LIKE ALL CANCERS, STOMACH CANCER IS BEST TREATED WHEN CAUGHT EARLY.

NEED
TO KNOW
MORE?

@campaign4cancer  

#StomachCancer #StomachCancerAwareness
CALL US ON: 082 224 4224
EMAIL US AT: info@campaign4cancer.co.za

 | ONCOLOGY



CAMPAIGNING
FOR CANCER

This campaign was made possible through donations in kind by TBWA \ Durban.